

1. IDENTIFY

CLOSE CONTACT

6 FEET OR WITHIN THE ROOM OR CARE AREAS FOR > 1 MIN WITHOUT PPE, DIRECT CONTACT WITH INFECTIOUS SECRETIONS (BEING COUGHED ON) WITHOUT PPE

DO YOU HAVE?

<input type="checkbox"/> FEVER	<input type="checkbox"/> LOWER RESPIRATORY SIGNS & SYMPTOMS • Cough • Shortness of Breath	<input type="checkbox"/> CLOSE CONTACT with person infected with coronavirus in last 14 days (COVID-19 LAB CONFIRMED)
---------------------------------------	--	--

OR AND

RECENT TRAVEL

DO YOU HAVE?

<input type="checkbox"/> FEVER	<input type="checkbox"/> LOWER RESPIRATORY SIGNS & SYMPTOMS • Cough • Shortness of Breath REQUIRING HOSPITALIZATION	<input type="checkbox"/> TRAVEL TO Affected areas <small>Updated List at CDC.GOV</small>
---------------------------------------	--	--

AND AND

NO EXPOSURE

DO YOU HAVE?

<input type="checkbox"/> FEVER	<input type="checkbox"/> SEVERE LOWER RESPIRATORY INFECTION* • Bilateral Pneumonia • ARDS REQUIRING HOSPITALIZATION WITHOUT ALTERNATIVE DIAGNOSIS**	<input type="checkbox"/> NO EXPOSURE
---------------------------------------	--	---

WITH AND

* SP O2 < 88% ON RA, ANY PATIENT REQUIRING PPV (INTUBATION / BIPAP / CPAP)
** IF RESPIRATORY PATHOGEN ISOLATED (EX. POSITIVE RAPID FLU)

CONTINUE EVALUATION WITH STANDARD PRECAUTIONS

2. ISOLATE



PUI

(PERSON UNDER INVESTIGATION)

STEP 1
PLACE SURGICAL MASK ON PATIENT

STEP 2
ISOLATE PATIENT IN PRIVATE ROOM
(NEGATIVE PRESSURE ROOM PREFERRED, COHORT FAMILY WITH PATIENT)

STEP 3
WEAR PERSONAL PROTECTIVE EQUIPMENT (PPE)
• FACE SHIELD/GOGGLES • N-95/PAPR • GOWN • GLOVES

STEP 4
TEST PER FACILITY INFECTION CONTROL GUIDANCE

STEP 5
DETERMINE INPATIENT PLACEMENT BASED ON CLINICAL STATUS

STEP 6
IF CLINICAL STATUS STABLE FOR DISCHARGE, PROVIDE "CDC HOME CARE GUIDANCE"

3. INFORM



BASED ON CDC GUIDELINES, REFER TO CDC.GOV FOR LATEST RECOMMENDATIONS, THEY ARE SUBJECT TO CHANGE. UPDATED 3/6/2020